


INDEX MAPS.

T. 1 S R. 8 W. 2^d Mer.

228	228	228	227	227	227	
229 6	216 5	215 4	221 3	219 2	211 1	207
225	216	215	221	219	211	
229 7	216 8	215 9	221 10	219 11	211 12	207
225	216	214	221	219	211	
230 18	215 17	214 16	220 15	218 14	211 13	207
224	215	214	220	218	211	
230 19	224 20	214 21	220 22	213 23	210 24	207
224	223	213	217	213	210	
230 30	223 29	222 28	220 27	213 26	210 25	208
224	223	222	217	212	210	
231 31	223 32	222 33	212 34	 35	209 36	208
218	217	217	209	209	209	

T. 2 S R. 8 W 2^d Mer.

256	255	255	255	254	254	
243 6	244 5	233 4	241 3	233 2	233 1	241
249	245	234	242	235	240	
243 7	244 8	234 9	241 10	235 11	233 12	241
249	245	235	240	240	239	
243 18	244 17	234 16	242 15	235 14	13	256
246	246	246	250	240	237	
243 19	245 20	234 21	242 22	236 23	236 24	237
247	247	246	236	236	240	
244 30	245 29	247 28	248 27	239 26	238 25	237
252	248	247	249	249	239	238
252 31	251 32	247 33	248 34	249 35	238 36	237
253-254	253-254	253-254	250-253	250	239	

The figures on the lines refer to the page.

Township. N^o 11. South of Range N^o 8. West of the 2nd Mer.

East Boundary

- South From the base line on the Range line East of Sec. N^o 1.
 19. 34 A White Oak 24. in. diam?
 40. 66 Set Quarter Sec. post. from which a R. Oak. 14. in. diam?
 bears S. 62 1/2. W. 67. lbs. dist. & a W. Oak 14 in. diam? bears
 N. 62. E. 36. lbs. dist.
 76. 26 A Hickory. 10. in. diam?
 80. 66 Set post corner to Sec. 1. & 12. in T. 1. S. R. N^o 8. W.
 from which an Elm 24. in. diam? bears S. 23. E. 44 lbs dist.
 & an Elm 10. in. diam? bears N. 34. E. 37. lbs. dist. This
 mile good flat land. Timber. Oak Hickory & Dogwood

- South East of Sec. 12. in T. 1. S. R. N^o 8. W.
 16. 61 An Elm 14. in. diam?
 21. 50 A Small Drain running E.
 40. 66 Set Quarter Sec. post from which a Maple. 10. in. diam?
 bears S. 6. W. 31. lbs. dist. & a Maple 24. in. diam? bears S. 84
 W. 42. lbs. dist.
 62. 40 A Small Drain, course E.
 86. 66 Marked post, corner to Sec. 12. & 13. on a Dogwood 8. in.
 diam? Low ridges - the last half Sec. 12. to bottom.
 Timber. Oak. Hickory. & B. Walnut.

- South East of Sec. 13. in T. 1. S. R. N^o 8. W.
 7. 66 A small Drain. course S. W.
 17. 50 A White Oak 20. in. diam?
 40. 66 Set Quarter Sec. post from which a W. Oak 18. in. diam?
 bears S. 43. W. 24. lbs. dist. & a Hickory 12. in. diam?
 bears E. 44. lbs. dist.
 62. 66 A Small Drain course E.
 80. 66 Set post corner of Sec. 13. & 24. from which a Hickory
 15. in. diam? bears S. 67. W. 24. lbs. dist. & a W. Oak 24
 in. diam? bears N. 48. E. 46. lbs. dist. This mile is
 flat ridges. Timber. Oak & Hickory

- South East of Sec. 24. in T. N^o 1. S. R. N^o 8. W.
 17. 70 A Hickory 16. in. diam?

T. N. 1. S. R. No. 8 W. 2nd Mer.

28. 50 A Run 8. lks. wide Course S. W.
 40. 01 Set Quarter Sec. post from which a W. Oak 16. in.
 diam? bears N. 44 W. 25. lks. dist. & a W. Oak 26. in?
 diam? bears S. 41. E. 15. lks. dist.
 44. 50 A W. Oak 15. in? diam?
 50. 00 A Run 10. lks. wide Course. South E.
 80. 00 Set post Corner to Sec. 24. & 25. T. 1. S. R. 8. W.
 from which a W. Oak 18. in? diam? bears S. 57. W. 16.
 lks. dist. & a Poplar 60. in? diam? bears N. 14. E. 20. lks.
 dist. This mile hills & flats Timber W. & B. Oak & Poplar

South East of Sec. 25. T. 1. S. R. No. 8 W.

7. 18 A W. Oak 18. in? diam?
 18. 50 A W. Oak 13. in? in diam?
 28. 50 A Run 20. lks. wide Course S. W.
 36. 00 The same Run. Course E.
 40. 00 Set Quarter Sec. post from which an Ash 12. in?
 diam? bears South 44 lks. & a Maple. 18. E. 23. lks. dist.
 66. 81 A W. Oak 18. in? in diam?
 80. 00 Set post Corner to Sec. 25. & 36. T. 1. S. R. 8. W. from
 which a Gum 18. in? diam? bears S. 45. lks. dist. & a
 Gum 10. in? diam? bears N. 85. W. 35. lks. dist.
 This mile 2nd rate bottom. Timber Oak. Ash & Gum.

South East of Sec. 36. T. 1. S. R. No. 8 W.

20. 74 A Kelly pond. 2 chains wide
 39. 60 Cross it again.
 40. 00 Made Quarter Sec. post in a Gum. 16. in? diam? bears on
 the bank of the pond on the South side.
 48. 50 Crossed Potato run S. W. 2 ch? wide.
 56. 50 Struck it again by S. line which continued in the creek
 4 chains. after which Creek bore. S. W.
 80. 00 Set. Town post Corner to Sec. 36. in T. 1. S. R. 8. W. from
 which a W. Oak 18. in? diam? bears S. 20. W. 34 lks. dist.
 & a W. Oak 11. in? diam? bears S. 82. E. 23. lks. dist.
 Creek Bottom 2nd rate. Oak timber.

South Boundary

Oct. 22^d. 1865.

- West On Town line South of Sec. 36. in T. 1. S. R. 8. W.
 40. 00 Set Quarter Sec. post from which a Hickory 12. in. diam.
 bears S. 59. E. 9. lks. dist. & a W. Oak 14. in. diam. bears N.
 28. E. 41. lks. dist.
80. 00 Set post Corner to Sec. 35. & 36. T. 1. S. R. 8. W. from
 which a W. Oak 12. in. in diam. bears S. 49. E. 1 lks. dist.
 & a Hickory 15. in. diam. bears S. 55. W. 90. lks. dist.
 This mile poor Barren land Briers &c. no timber.
-
- West On Town. line in Sec. 35. T. 1. S. R. 8. W.
 5. 00 A Run 10. lks. wide. Course N.
 40. 00 Post fell in Barren.
 80. 00 Set post Corner to Sec. 34. & 35. in T. 1. S. R. 8. W. from
 which an Elm 20. in. diam. bears S. 48. E. 11. lks. dist. & a W.
 Oak 8. in. diam. W. 12. lks. dist. No timber on the first half
 mile - & on the second low scrubby Oak timber.
-
- West South of Sec. 34. T. 1. S. R. 8. W.
 40. 00 Set up a Quarter Sec. post from which a Hickory 10. in.
 53. W. 10. lks. dist. & a Hickory 12. in. diam. bears S. 30.
 E. 20. lks. dist.
64. 00 Patokaka Creek 150. lks. wide. Course S. E.
 75. 00 Struck pond so deep as to prevent establishing post Corner to
 33. & 34. which fell in the said pond. - Patoka bottom
 3^d rate or Timber Oak. Brushy undergrowth.
-
- North Between Sec. 35. and 36. T. 1. S. R. 8. W.
 32. 50 Struck Patoka 150. lks. wide bearing N. E.
 40. 00 Set Quarter Sec. post from which a Maple diam. bears
 S. 73 1/2. W. 31. lks. dist. & an Elm 8. in. in diam. bears N.
 52. W. 38. lks. dist.
55. 00 A Maple 12. in. diam.
 80. 00 Set post Corner to Sec. 35. & 36. 25. & 26. T. 1. S. R. 8. W.
 from which a Gum 10. in. diam. bears S. 20. W. 10 lks. dist.
 & a W. Oak 14. in. diam. W. 29. lks. dist. - This mile 2nd rate

T. A. G. R. No 8. W. 2nd Mer.

	and barren land. few Oaks &c.
West	Between Sec? 25. & 36. T. A. G. R. No 8. W.
40. 00	Set Quarter Sec. post from which a Gum 12 in? diam?
50. 00	bears S. 74 E. 17 lbs. dist. To Logwood S. N. E. 17 lbs. dist.
St. 00	Struck a post. corner to Sec? 25. 26. 35. & 36. T. A.
	Thirteen Patah flats. Cold soil. Timber. Oak & Hickory
North	Between Sec? 25. and 26. T. A. G. R. No 8. W.
44. 70	A Sugar tree 18 in? diam?
40. 00	Set Quarter Sec. post from which a B. Oak 15 in? diam?
	bears N. 15 W. 38 lbs. dist. Son Oak 10 in? diam? bears S
	80 E. 36 lbs. dist.
44. 00	at Peplar 42 in? diam?
50. 00	Set post corner to Sec? 23. 24. 25. & 26. T. A. G. R. No 8. W.
	from which a B. Oak 36 in? diam? bears S. 31 W. 16 lbs. dist.
	To W. Oak 8 in? diam? bears N. 24 E. 5 lbs. dist.
	The first half mile, brush flats, Sec. 2. Sugar tree upland.
West	Between Sec? 24 and 25. T. A. G. R. No 8. W.
35. 00	A Run 11 lbs. wide, course South.
39. 95	Set Quarter Sec. post from which an Elm 24 in? diam?
	bears N. 62 E. 28 lbs. dist. To Sugar tree 8 in? diam? bears
	N. 63 W. 17 lbs. dist.
79. 90	Set post corner to Sec? 23. 24. 25. & 26. T. A. G. R. No 8. W.
	Flat Land Good. Timber. Oak Hickory & Peplar.
North	Between Sec? 23. & 24. T. A. G. R. No 8. W.
34. 58	A B. Gum 12 in? diam?
40. 00	Set Quarter Sec. post from which a Gum 10 in? diam?
	bears S. 22 E. 14 lbs. dist. To Logwood S. N. E. 12 in? diam?
	bears N. 11 E. 12 lbs. dist.
44. 20	A W. Oak 8 in? in? diam?
50. 00	Set post corner to Sec? 23. 24. 25. & 26. from which a Gum
	12 in? diam? bears S. 50 W. 17 lbs. dist. To 10 in? diam? bears N.
	10 W. 31 lbs. dist. Son Oak little. Timber, Peplar, & Logwood.

T. N. 1. S. R. N. 8. W. 2nd Mer.

West	Between Sec. 13 & 24. T. 1. S. R. 8. W.
40. 69	Marked Quarter Sec. post on a Dogwood 7. in. in diam.
80. 10	Set post Corner to Sec. 13 & 24. Random fell 90. lbs. to the right. Timber. W. & B. Oak. Dogwood. &c. Hill Land.
North	Between Sec. 13. and 14. T. 1. S. R. 8. W.
40. 00	Set Quarter Sec. post from which a W. Oak 18. in. diam. bears N. 63. E. 28. lbs. dist. & a W. Oak 6. in. diam. bears N. 57. E. 21. lbs. dist.
62. 13	& a W. Oak 20. in. diam.
80. 66	Set post Corner to Sec. 11. 12. 13. & 14. from which a Hickory 18. in. diam. bears North 39. lbs. dist. & a Hickory 8. in. diam. bears N. 79. W. 18. lbs. dist. This mile Low Oak hills.
West	Between Sec. 13 & 12. T. 1. S. R. 8. W.
40. 00	Set Quarter Sec. post from which a B. Oak 14 in. diam. bears N. 50. E. 16. lbs. dist. & a Hickory 10. in. diam. bears S. 46. 1/2 E. 16. lbs. dist.
80. 00	Set Post Corner to Sec. 11. 12. 13. & 14. in T. 1. S. R. 8. W. This mile Land. Hilly. Timber. Oak, Dogwood & Hickory.
North	Between Sec. 11. & 12. in T. 1. S. R. 8. W.
40. 00	Set Quarter Sec. post from which a Hickory 12. in. diam. bears S. 10. 1/2 E. 13. lbs. dist. & a Hickory 11. in. diam. bears S. 8. 1/2 E. — lbs. dist.
80. 00	Set post Corner Sec. 11. 12. & 1. & 2. from which a W. Oak 8. in. diam. bears S. 10. 1/2 E. 29. lbs. dist. & a Hickory 1. 57. E. 42. lbs. This flat ridges. Good hill land. Timber Oak & Hickory.
West	Between Sec. 1. & 12. T. 1. S. R. 8. W.
39. 92	Set Quarter Sec. post from which a W. Oak 9. in. diam. bears N. 74. E. 43. lbs. dist. & a W. Oak 8. in. in. diam. bears S. 20. E. 50. lbs. dist.
79. 85	Set post Corner to Sec. 1. 2. 11. & 12. Random line & fell 70 lbs. to the right. This mile Low ridges. Timber. Oak & Dogwood.
North	Between Sec. 1. & 2. in T. 1. S. R. 8. W.

T. N. 1. S. R. N. 8. W. 2. & Mer.

24. 65 A Hickory 18. in? diam?
 40. 00 Set Quarter Sec. post from which a W. Oak 12. in? diam?
 bears S. 7 1/2 W. 37. lbs. dist. & a B. Oak 12. in? diam? bears N.
 31. W. 29. lbs. dist
 58. 43 A Dry Run bearing W. 20. lbs. wide.
 80. 50 Hit post On Base line; corner to Sec. 14 & T. N. 1. S. R. 8. W.
 This mile Oak ridges. Timber Hickory, Dogwood, &c.

- North Between Sec. 34 & 35. T. N. 1. S. R. 8. W. Co. 25th 1805.
 25. 00 Crossed the Patoka, running N. 2. W.
 40. 00 Set Quarter Sec. post from which a Maple 9. in? diam?
 bears S. 20. E. 15. lbs. dist. & a Hickory 12. in? diam? bears
 N. 69. W. 15. lbs. dist. Made an effort to try to get by a Pond
 65. 00 & came into the line again at 65. chain?
 80. 00 Set post corner to Sec. 26. 27. 34 & 35. from which a W.
 Oak. 24 in? diam? bears S. 80. W. 38. lbs. dist. & a W. Oak
 24. in? diam? bears N. 54. W. 34. lbs. dist. This mile is
 Patoka flats or Bottom, third rate; Timber mostly Oak.
 * From residue of this line see end of Township

- West Between Sec. 35 & 26. in T. N. 1. S. R. 8. W.
 40. 05 Set Quarter Sec. post from which a Maple 8. in? diam?
 bears N. 24. W. 16. lbs. dist. & a Gum 18 in? diam? bears S. 40. E.
 25. lbs. dist
 80. 10 Struck post corner to Sec. 26. 27. 34 and 35.
 This mile Patoka Flats. Clay soil. Timber W. Oak

- North Between Sec. 33. and 34. T. N. 1. S. R. 8. W.
 6. 00 Came into line at the edge of the pond.
 9. 50 Crossed Patoka 69. lbs. E.
 21. 00 Crossed it again S. 69. W. 2 ch? & 50. lbs. wide.
 40. 00 Marked Quarter Sec. post on a Gum 18 in? diam?
 69. 30 A Sugar tree 10. in? in diam?
 80. 00 Set post corner to Sec. 27. 28. 33 & 34. from which
 a W. Oak 12. in? diam? bears N. 8. E. 25. lbs. dist. & a Poplar
 48. in? diam? bears S. 8. W. 13. lbs. dist. struck bottom.
 Timber: Poplar W. Oak, Hickory, Gum, Elm, Dogwood.

T. N. 1. S. R. N. 8. W. 2nd Mer.

North	Between Sec? 26. & 27. T. N. 1. S. R. N. 8. W.
24. 00	cA W. Oak 30. in? diam?
40. 00	Set Quarter Sec. post. from which a Sugar tree 8. in? diam? bears N. 8. W. 25. lbs. dist. & a Sugar tree 7. in? diam? bears S. 75. W. 23. lbs. dist.
78. 26	cA B. Walnut 40 in? diam?
80. 00	Set post Corner to Sec? 22. 23. 26. & 27. from which a Poplar 40. in? diam? bears S. 25 1/2. E. 18. lbs. dist. & a Sugar tree 14. N. 78. E. 30. lbs. dist. This mile mostly up a Run 12 lbs wide after crossing it. Much bottom, Oak & Sugar tree Timber.
West	Between Sec? 23. and 26. T. N. 1. S. R. N. 8. W.
40. 10.	Set Quarter Sec? post. from which a Hickory 16. in? diam? bears S. 56. E. 9. lbs. dist. & a W. Oak. 12. in? diam? bears c. 62. E. 41. lbs. dist.
80. 20	Set post Corner to Sec? 22. 23. 26. & 27. This mile is good hill land. Timber. Oak & Dogwood, Hickory &c. Random line fell 50 lbs. to the right.
North	Between Sec? 22. and 23. T. N. 1. S. R. N. 8. W.
35. 30	A Sugar tree 16. in? in diam?
40. 00	Set a Quarter Sec. post from which a Sycamore 30. in? diam? bears N. 5. W. 18. lbs. dist. & an Elm 12. in? diam? bears N. 84 W. 17. lbs. dist.
72. 50	A Poplar 24. in? diam?
80. 00	Set post Corner to Sec? 14. 15. 22. & 23. from which a Sugar tree 11. in? diam? bears c. 36. W. 21. lbs. dist. & a Hickory 14. in? in diam? bears S. 14. E. 15. lbs. dist. Up a Run (10. links) after crossing the same. Second rate bottom Oak & Poplar Tim?
West	Between Sec? 21. & 23. T. N. 1. S. R. N. 8. W.
40. 00	Set Quarter Sec. post from which a W. Oak 14 in? diam? bears N. 10 1/2 W. 35. lbs. dist. & an Oak 10. in? diam? bears N. 67 W. 12. lbs.
80. 00	Set post Corner to Sec? 20. 21. 28. & 29. T. N. 1. S. R. N. 8. W. This mile is good farming land. Timber. mostly Oak. Random fell 80 lbs. to the right. Sec? 26 1/4.

T. A. G. R. No 8. W. L. na Sher.

North	Between Sec 20. & 21. in T. A. G. R. No 8. W.
25. 00	A Gum 16. in? diam?
40. 00	Set Quarter Sec. post from which a Poplar 14. in? in diam? bears S. 43. E. 12. lks. dist. & a Poplar 16. in? in diam? bears S. 64. W. 19. lks. dist.
70. 00	A B. Gum 19 in? diam?
80. 00	Set post Corner of Sec? 16. 17. 20. & 21. from which a Poplar 24 in? diam? bears N. 23. W. 30. lks. dist. & a W. Oak 8 in? diam? bears S. 21. W. 35. lks. dist. - This mile is good farming land. Timber, Oak, Hickory Ash & Poplar.
North	Between Sec? 16 and 21. T. A. G. R. No 8. W.
20. 11	A creek 45 lks. wide, bears S.
40. 11	Marked Quarter Sec. post on a W. Oak 10. in? in diam?
50. 11	Set post Corner to Sec? 16. & 17. 20. & 21. on Random field 10. lks. to the right. Good 2 nd rate land. Oak, Hickory & Dogwood Timber on this mile.
North	Between Sec? 16. and 17. T. A. G. R. No 8. W.
40. 00	Set Quarter Sec. post from which a Poplar 14 in? in diam? bears N. 17. W. 27. lks. dist. & a W. Oak 9 in? diam? bears S. 31. W. 12. lks. distant.
60. 00	A Branch 5. lks. wide, bearing East
50. 11	Set post Corner to Sec? 8. 9. 16. & 17. from which a W. Oak 8. in? diam? bears S. 52. E. 17. lks. dist. & a Poplar 14. in? diam? bears North 13. lks. dist. This mile Hilly; Good soil; Timber, Oak, Poplar, & Hickory.
West	Between Sec? 9. & 16. T. A. G. R. No 8. W.
40. 05	Set Quarter Sec. post from which a W. Oak 8 in? bears N. 30. W. 7. lks. dist. & a W. Oak 20 in? diam? bears N. 68. E. 28. lks. dist.
62. 25	A creek 25. lks. wide, bears S.
50. 00	Set post Corner to Sec? 8. 9. 16. & 17. on Random line field 8. lks. to the right. This mile Hilly; Good soil. Timber Oak, Hickory & Poplar.

T. N. 1. S. R. N. 8. W. 2nd Mer.

North	Between Sec? 8. & 9. T. N. S. R. N. 8. W.
17. 17	A Creek 25. lks. wide bearing E.
46. 17	Set Quarter Sec. post from which a Poplar 36. in? diam? bears S. 48. W. 24. lks. dist & a Gum 9. in? diam? bears S. 51. E. 38. lks. dist.
66. 50	A Poplar 18. in? diam?
80. 60	Set Post corner to Sec? 4. 5. 8. and 9. from which a W. Oak 15. in? diam? bears A 77. E. 41. lks. dist & a W. Oak 18. in? diam? bears S. 49 1/2 E. 28. lks. dist This mile is hilly. Timber Oak Hickory & Poplar.
West	Between Sec? 4 & 9. T. N. S. R. N. 8. W.
46. 60	Set Quarter Sec. post from which a Poplar 14. in? diam? bears S. 10. W. 26. lks. dist & a B Oak 24 in? diam? bears S. 74 1/2. W. 16. lks. dist.
80. 60	Set Post Corner to Sec? 4. 5. 8. & 9. Thin sand, last half level. Timber. Oak. Hickory & Dogwood.
North	Between Sec? 4 & 5. T. N. S. R. N. 8. W.
38. 76	A B. Oak 24. in? diam?
70. 60	Set Quarter Sec. post from which a B. Oak 12. in? in diam? bears A. 55 E. 24. lks. dist & a Gum 9. in? diam? bears A. 75. E. 28. lks. dist.
75. 78	A Poplar 24. in? diam?
80. 40	Set Post Corner to Sec? 4. & 5. on Base line.
West	Between Sec? 17 & 20. T. N. S. R. N. 8. W. Oct. 27 th .
76. 60	Set Quarter Sec. post from which a Gum 18. in? diam? bears N. 26. E. 18. lks. dist & a Poplar 17. in? diam? bears N. 70. W. 25 lks. dist.
65. 60	A Run 10. lks. wide. Course S.
80. 60	Set Post Corner to Sec? 17. 18. 19. & 20. This mile is flat hills. Timber. Oak. Hickory Poplar & Dogwood.
North	Between Sec? 17 & 18. T. N. S. R. N. 8. W.
25. 61	A Creek 10. lks. wide Course. 69. lks. E.

T. 1. S. R. 1. S. 8. M. 2. M. Mer.

24. 20	A W Oak 18. in? in diam?
40. 10	Set Quarter Sec. post from which a W Oak 13. in? diam? bears N. 72. 1/2. W. 17. lks. dist. & a W Oak 18. in? diam? bears S. 64. W. 18. lks. dist.
80. 00	Set post Corner to Sec? 7. 8. 17. & 18. from which a Poplar 18. in? diam? bears S. 75. W. 12. lks. dist. & a Gum 10. in? diam? bears S. 45. E. 5. lks. dist. - This mile is good hill land. Timber. Oak, Hickory, Poplar & Gum
West	Between Sec? 8. & 17. T. 1. S. R. 8. M.
40. 00	Set Quarter Sec. post from which a B. Oak 16 in? diam? bears N. 49. E. 19. lks. & a B. Oak 14. in? diam? bears S. 75. 1/2 E. 15. lks. dist.
79. 80	Hit post Corner to Sec? 7. 8. 17. & 18. - This mile is poor hills. Timber. Oak & Dogwood. On Random line fell 80. lks. to the right.
North	Between Sec? 7. & 8. T. 1. S. R. 8. M.
16. 00	A Poplar 20. in? diam?
40. 00	Set Quarter Sec. post from which a poplar 12. in? diam? bears S. 50. W. 12. lks. dist. & a Hickory 8. in? diam? bears N. 14. E. 9. lks. dist.
48. 10	A Creek 25. lks. wide. Course W.
80. 00	Set post Corner to Sec? 5. 6. 7. & 8. from which a R. Elm 8 in? diam? bears N. 60. W. 15. lks. dist. & a W Oak 14. in? diam? bears S. 64. W. 46. lks. dist. - This mile is good hill land. Timber Oak & Poplar. Gum & Spice bush.
West	Between Sec? 5. & 8. T. 1. S. R. 8. M.
40. 30	Set Quarter Sec. post from which a W Oak 20. in? in diam? bears S. 56. W. 48. lks. dist. & a Gum 8. in? diam? bears S. 20. E. 7. lks. dist.
80. 60	Hit post Corner to Sec? 5. 6. 7. & 8. Random line fell 70. lks. to the right. This mile first rate hill land. Timber. Oak. Poplar. ash, & Spice bush.

T. N. 1. S. R. N. 8. W. 2nd Mer.

North	Between Sec? 5 & 6 in T. N. 1. S. R. N. 8 W.
14. 70	A Poplar 20. in? diam?
40. 11	1st Quarter Sec. post from which a Poplar 20. in? diam? bears S. 53. W. 20. lbs. dist? & a Gum 8. in? in diam? bears N. 67. E. 14. lbs. dist.
76. 00	A creek 40. lbs wide, bears (N.)
80. 50	Hit post corner to Sec? 5 and 6. This mile reaches and Flat Land. Timber. B. & W. Oak. Poplar & Dogwood.
West	Between Sec? 22 & 27 T. 1. S. R. 8. W.
40. 00	1st Quarter Sec. post from which a Gum 10. in? diam? bears S. 57. E. 20. lbs. dist? & a Gum 9. in? diam? bears S. 14. E. 21. lbs. dist.
80. 00	Hit Post corner to Sec? 21. 22. 27 & 28. This mile good farming Oak upland. Random line fell 80. lbs. to the right.
West	Between Sec? 27. and 34 T. 1. S. R. 8. W.
40. 00	1st Quarter Sec. post from which a Hickory 12. in? diam? bears N. 45. W. 7. lbs. dist? & a W. Oak 12. in? diam? bears N. 32. E. 42. lbs. dist.
80. 00	Hit post corner to Sec? 27. 28. 33. & 34. This mile Patoke flats. Timber B. & W. Oak. Hickory & Poplar
Part of South Township	
Run Township line on & fell 75. lbs. S. of Post.	
West	On division line Between Towns 1 & 2. S. of Sec. 33.
40. 00	1st Quarter Sec. post from which an Elm 6. in? diam? bears N. 42. W. 35. lbs. dist? & a Sugar tree 12. in? diam? bears S. 80. E. 25. lbs. dist.
56. 00	Patoke 2 chain? wide. Course N.
72. 00	Do. 2. chain? wide. Course S.
80. 00	1st post corner to Sec? 4 & 5. from which an Elm. 14 in? in diam? is corner. tree. Low Creek Bottom. Some Swampy & some prairie. Timber, Oak. Hickory Elm. Ash &c.
West	From the Post S. of Sec. 32. and E. of 5.
2. 25	Patoke 2 ch? wide. Course. N.

T. A. G. R. N. S. W. 2nd Mer.

15. 50	Patoka 2 ch. wide. Course South. T. A. G. R. N. S. W.
30. 00	To the above creek which bears E. N. W.
40. 00	Set Quarter Sec. post from which a Gum 15. in. diam. bears E. 54. E. 30. lbs. dist. A Hickory 9. in. diam. bears A. 30. W. S. lbs. dist.
80. 00	Set a post from which a Birch 10. in. diam. bears A. 74. W. 32. lbs. dist. A. Red Oak 24. in. diam. bears S. 2. W. 42. lbs. dist. This land the same as before but no Pencils.
West	From the above post. S. of Sec. 31. T. A. G. R. N. S. W.
5. 00	To the mouth of a Run 46 lbs. wide running into Patoka & appearing to run North.
40. 00	Set Quarter Sec. post from which a Hickory 7. in. diam. bears A. 32. E. 8. lbs. dist. A Gum 10. in. diam. bears S. 8. E. 34 lbs. dist.
80. 70	To post corner to Towns 1 and 2. The Land on this side is Brushy & Briny 2 nd rate Timber Elm Gum Oak &c.
Subdivisions again	
West	Between Sec. 14 & 23. in T. A. G. R. N. S. W.
40. 00	Set Quarter Sec. post from which a Gum 15. in. diam. bears S. 84. E. 10. lbs. dist. A Elm 8. in. diam. bears S. 89. W. 17. lbs. dist.
80. 00	To post corner to Sec. 14. 15. 22 & 23. Random line full 27. lbs. S. of the post. Timber. W. Oak. B. Oak. R. Oak. Sugar etc.
North	Between Sec. 14. & 15. T. A. G. R. N. S. W.
19. 50	A B. Oak 30. in. diam.
38. 00	To a Drain 30. lbs. wide. Course S. W.
40. 00	Set Quarter Sec. post from which a W. Oak 10. in. in. diam. bears E. 64. W. 35 lbs. dist. A W. Oak 24 in. diam. bears S. 45. E. 50 lbs. dist.
45. 00	A Drain 20. lbs. wide, Course S. W.
80. 00	Set a Sec. post corner to Sec. 10. 11. 14 & 15. from which a W. Oak 24 in. diam. bears E. 78. W. 30. lbs. dist. A. Ash 10. in. diam. bears S. 89. E. 40. lbs. dist.

T. N. 1. G. R. N. 8. W. 2nd Mer.

Timber, Gum Elm, Ash, & Dogwood. Land 2nd rate Hill &c.

West Between Sec. 11. & 14. in T. 1. G. R. N. 8. W.
 30. 00 A W. Oak 24. in? diam? standing on the Bank of a
 Drain 20. lks. wide. bearing S.
 40. 00 Quarter Sec. post marked on a W. Oak. 16. in? in diam?
 80. 00 To post corner to Sec. 10. 11. 14. & 15. Random line fell
 19. lks. S. of the Post. Timber, W. Oak, B. Oak, Red Oak
 & Hickory Dogwood &c. Land 2nd rate.

North Between Sec. 10. & 11. T. 1. G. R. N. 8. W.
 8. 50 An Elm 8. in? in diam?
 14. 00 A Run 30 lks. wide. Course N. 45. W.
 40. 00 Set quarter Sec. post on a Dogwood 8. in? diam?
 48. 00 A Drain 30. lks. wide. bears W.
 70. 70 A Hickory 12. in? diam?
 80. 00 Set post corner to Sec. 2. 3. 10. 11. from which a Hickory
 10. in? diam? bears N. 53. W. 45. lks. dist. & a W. Oak 20.
 in? diam? bears S. 42. E. 24 lks. dist. Timber mostly
 Oak Hickory & Dogwood. Land 2nd rate Hills.

West Between Sec. 2. & 11. in T. 1. G. R. N. 8. W.
 39. 00 A Drain 30. lks. wide bears N. North
 40. 00 Set post from which a Elm 6. in? in diam? bears N. 87. W.
 35. lks. dist. & a B. Walnut 14. in? diam? bears N. 43. E. 33 lks
 80. 12 To post corner to Sec. 2. 3. 10. 11. on Random line. fell 20
 lks. S. of the post. Land & Timber as before. Nov. 23rd.

North Between Sec. 2. & 3. T. 1. G. R. N. 8. W.
 26. 15 A W. Oak 20. in? diam?
 39. 14 A Run 40. lks. wide bears W.
 40. 00 Set Quarter Sec. post from which a Hickory 17. in? diam?
 bears S. 35. W. 40. lks. dist. & an Elm 8. in? in diam? bears
 N. 39. W. 10. lks. dist.
 62 94 A W. Oak 16. in? diam?
 80. 00 To post corner to Sec. 2. 3. 35. & 36. on Base line

T. A. S. R. N. 8. W. 2nd Mer.

	Timber mostly Oak Hickory & Logwood. Land 2 nd rate.
North	Between Sec? 27. and 28. T. A. S. R. N. 8. W.
36. 20	A W Oak 14 in? diam?
40. 00	Set Quarter Sec. post from which a Hickory 12 in? in diam? bears N. 37. W. 37. lbs. dist. & a B. Oak 16 in? in diam? bears S. 55. E. 45. lbs. dist.
45. 60	A B. Oak 18 in? diam?
49. 90	A W Oak 8 in? diam?
80. 00	Set a post from which a W. Oak 24 in? diam? bears S. 55. E. 32. lbs. dist. & a W Oak 36 in? diam? bears N. 34. W. 28. lbs. dist. This Land 2 nd rate Creek Bottom. Timber Poplar, Hickory, W. Oak, Gum, Elm, Logwood &c.
North	Between Sec? 21. & 22. T. A. S. R. N. 8. W.
35. 86	A W Oak 14 in? in diam?
40. 00	Set Quarter Sec. post from which a B. Birch -- in? diam? bears S. 5. W. 13. lbs. dist. & an Elm 14 in? diam? bears N. 18. W. 33. lbs. dist.
72. 40	A Poplar 34 in? diam?
80. 00	Set post corner to Sec? 21. 22. 27. & 28. from which a W Oak 8 in? diam? bears N. 64. W. 17. lbs. dist. & a W. Oak 13 in? in diam? bears S. 64. E. 32. lbs. dist. -- This mile Land chiefly Creek Bottom. Low Cold clay. Timber, Oak Elm, Oak. Gum &c.
West	Between Sec? 22. & 15. T. A. S. R. N. 8. W.
40. 00	Set Quarter Sec. post from which a W. Oak 7 in? in diam? bears S. 33. E. 33. lbs. dist. & an Oak 13 in? diam? bears N. 37. E. 29. lbs. dist.
80. 20	Go post corner to Sec? 15. 16. 21. & 22. Random fall S. of post 25 lbs. dist. Land 2 nd rate. Flat ridges Timber, Oak.
North	Between Sec? 15. & 16. T. A. S. R. N. 8. W.
20. 00	A Poplar 36 in? diam?
40. 00	Set Quarter Sec. post from which a W. Oak 13 in? diam?

T. A. S. R. N. 8. W. 2nd Mer

	bears S. 47. W. 14 lbs. dist & a W. Oak 9. in? diam? bears N. 9. E. 17. lbs. dist?
45. 00	A Drain 40. Course, N. W. (10. lbs. wide)
46. 50	A Gum 12 in? diam?
80. 00	A B. Oak 28. in? in diam? which is the Corner tree Sand Flat ridges. Timber. Ash Poplar, Oak Dogwood &c.
West	Between Sec? 10. & 15. T. A. S. R. N. 8. W. - Nov. 24 th
39. 50	A Quarter Sec. post marked on a Dogwood 7. in? diam?
79. 00	Set post Corner to Sec? 9. 10. 15. & 16. Random fell 19. lbs. S. of post. - This Sand Flat ridges. Good soil. Timber. W. Oak. B. Oak. Dogwood &c. some Hickory
North	Between Sec? 9. & 10. T. A. S. R. N. 8. W.
36. 50	A Poplar 30. in? diam?
40. 00	The Quarter Sec. post marked on a Poplar 24. in? diam?
45. 00	A Drain 20. lbs. wide Course N. 45. E.
70. 40	A W. Oak 12. in? diam?
80. 00	Set post Corner to Sec? 3. 4. 9. 10. from which a W. Oak 16. in? diam? bears S. 34. E. 12. lbs. dist. & a W. Oak 12. in? diam? bears North 25. lbs. dist - This Sand good level 2 nd rate. Timber, Oak, Hickory, Dogwood.
West	Between Sec? 3. and 10. T. A. S. R. N. 8. W.
40. 00	Set Quarter Sec. post from which an Elm 12. in? in diam? bears S. 30. W. 24. lbs. dist. & a W. Oak 12. in? diam? bears N. 49. E. 35. lbs. dist
58. 50	A Run 30. lbs. wide bears. N. 45. E.
80. 00	Set post Corner to Sec? 3. 4. 9. & 10. This mile the Sand is good 2 nd rate. principally Buck Bottom.
North	Between Sec? 3. & 4. T. A. S. R. N. 8. W.
9. 07	A W. Oak 9. in? diam?
40. 00	Set a Quarter Sec. post from which a W. Oak 12. in? diam? bears N. 46. E. 10. lbs. dist & a W. Oak 15. in? diam? bears N. 80. W. 9. lbs. dist.

T. N. 1. S. R. N. 8. W. 2nd Mer.

71. 00	A Red Oak 20. in? in diam?
80. 00	To Post in Base line. Corner to Sec? 3. and 4. On this side the land is good 2 nd rate. Level. Timber. Oak & Hickory
North	Between Sec? 32 & 33. T. 1. S. R. 8. W.
1. 50	A R. Oak 48. in? in diam?
10. 40	Patoka bears N. 45. E.
20. 40	Patoka 2. chains wide bears. N. 45. W.
40. 00	1st Quarter Sec. post from which a W. Oak 24. in? in diam? bears S. 21. W. 38. lks. dist. & a Maple 18. in? diam? bears N. 34. E. 48. lks. dist.
72. 00	A W. Oak 24. in? diam?
80. 00	1st a Sec. post from which an Elm 24 in? in diam? bears N 57. W. 30. lks. dist. & a Sugar Maple 8. in? diam? bears S 67. E. 5. lks. dist. Land, first half Creek Bottom, Low & Coley. 2 nd half. Flat ridges. Timber W. Oak. R. Oak & B. Oak. Ash Elm &c.
West	Between Sec? 33 & 28. T. 1. S. R. 8. W.
40. 00	1st Quarter Sec. post from which an Elm 12. in? in diam? bears S. 68. W. 35. lks. dist. & a Gum 20. in? diam? bears N. 87. E. 43. lks. dist.
63. 00	A Creek 50. lks. wide. Course S 45. W?
80. 00	To post Corner to Sec? 28. 29. 32 & 33. This Land, Creek Bottom, 2 nd rate. Timber Elm. Poplar. Sugar. Oak. Dogwood &c.
North	Between Sec? 28. and 29. T. 1. S. R. 8. W.
40. 00	1st Quarter Sec. post from which a B. Walnut. 12. in? in diam? bears S. 28. W. 40. lks. dist. & W. Oak 36. in? diam? bears N. 20. E. 44. lks. dist.
64. 50	A Run 50. lks. wide bears. S 45. E.
77. 50	A Poplar 20. in? in diam?
80. 00	1st a Post from which a Swamp Oak 14 in? in diam? bears N 6. E. 24 lks. dist. & an Elm 12. in? diam? bears N. 66. W. 20. lks. dist. This land mostly Creek bottom. 2 nd rate. Timber. Elm. Oak. Sugar tree &c.

J. A. G. R. N. E. West. 2nd Mer.

North	Between Sec. 31. & 32. J. A. G. R. N. E.
10. 00	Patohick 2 chain. wide. corner N.
16. 30	A B. Oak 4 in. in diam.
40. 00	Set Quarter Sec. post from which an Elm 24 in. diam. bears S. 10. W. 15. lbs. dist. & a Hickory 36 in. diam. bears N. 10. E. 35. lbs. dist.
54. 30	A Sugar tree 8 in. diam.
80. 00	Set a post from which a Sugar tree 8 in. diam. bears S. 57. W. 17. lbs. dist. & a D. 10 in. in diam. bears S. 12. W. 26. lbs. dist. - Land on the first half flat ridges. 2 nd half Creek Bottom; Cold Clay. not sandy. Timber. Elm. Gum. Oak. &c.
West	Between Sec. 32. and 29. J. A. G. R. N. E.
40. 05	Set a Quarter Sec. post from which a Poplar 48 in. diam. bears N. 26. W. 25. lbs. dist. & an Elm 8 in. diam. bears S. 26. E. 16. lbs. dist.
80. 10	Set Post Corner to Sec. 29. 30. 31. & 32. J. A. G. R. N. E. This Land first rate hill. Timber. Poplar. White Oak. B. Walnut. & Dogwood. Random fall 59. lbs S. of Post. Nov 25 th .
North	Between Sec. 29. & 30. J. A. G. R. N. E.
15. 80	A Sugar tree 8 in. in diam.
32. 50	A D. 10 in. diam.
40. 00	Set Quarter Sec. post from which a Walnut 8 in. in diam. bears N. 3. E. 42. lbs. dist. & a Sugar 8 in. diam. bears S. 43. E. 45. lbs. dist.
56. 52	A W. Oak. 17 in. diam.
80. 00	Set Quarter Sec. post at the corner of Sec. 19. 20. 29. 30. from which a B. Gum. 30 in. in diam. bears S. 79. E. 72. lbs. dist. & a W. Oak 10 in. diam. bears N. 87. W. 44. lbs. dist. Land flat ridges. 2 nd rate. Timber Sugar. B. Walnut Ash & Dogwood.
West	Between Sec. 20. & 29. J. A. G. R. N. E.
9. 00	A Run 30 lbs. wide bears S. 45. E.
40. 00	the Quarter Sec. post marked on a B. Gum 18 in. in diam.
80. 00	Set post Corner to Sec. 19. 20. 29. and 30. Land flat ridges.

T. A. S. R. N. S. W. 2nd. Sur.

	2 nd rate, Timber, Elm, Gum, Poplar, Hickory &c. Random fell 40 links N of Post.
North	Between Sec? 19. & 20. T. A. S. R. N. S. W.
6. 70	A W. Oak 30. in? diam?
40. 00	Set Quarter Sec post from which a B. Gum. 12. in? diam? bears S. 21. N. 11. lbs. dist & a B. Gum. 12. in? diam? bears N. 48. E. 58. lbs. dist.
69. 00	A W. Oak 12. in? in diam?
80. 00	Set a post from which a W. Oak - in? diam? bears S. 6. E. 36. lbs. dist. & a Mulberry - in? diam? bears S. 65. W. 30. lbs. dist. Land flat ridges. 2 nd rate. Timber. B. Walnut. Elm, Hickory, Oak and Poplar.
West	Between Sec? 30. & 31. T. A. S. R. N. S. W.
40. 00	Set Quarter Sec. post from which a Sugar tree 11. in? diam? bears N. 44. W. 18. lbs. dist. & a W. Oak 16. in? diam? bears S. 24. E. 23. lbs. dist.
80. 00	To post Corner to Sec? 30. & 31. Random fell 45. lbs. N of post. Land 2 nd rate Timber. B. Walnut. Poplar &c.
West	Between Sec? 19. & 30. T. A. S. R. N. S. W.
9. 50	A Small quarry of Sand stone.
40. 00	Set a Q ^r Sec. post from which a B. Gum 12. in? diam? bears N. 40. E. 18. lbs. dist. & a W. Ash 14. in? diam? bears S. 70. E. 22. lbs. dist.
80. 00	To post Corner to Sec? 19. & 30. Random fell 39. lbs. N of post. Land Hilby 2 nd rate. Timber, Oak, Ash, &c.
West	Between Sec? 18. & 19. T. A. S. R. N. S. W.
40. 00	Set Q ^r Sec. post from which a W. Oak 30. in? diam? bears N. 63. W. 55. lbs. dist. & a W. Oak 20. in? diam? bears S. 63. E. 27. lbs. dist.
80. 00	To post Corner to Sec? 18. and 19. Random fell 10. lbs. S of the post. Land flat ridges Timber. Sugar. Hickory Poplar, Logwood, Oak &c.

J. A. I. R. No 8. W. 2nd Mer.

West Between Sec? 7 & 18. J. A. I. R. No 8. W.
 40. 00 Set of Sec. post from which a B. Oak 16 in. diam. bears S. 18.
 N. 27. lbs. dist. & a Poplar 24 in. diam. bears N. 18. W. 17 lbs. dist.
 80. 00 To post Corner to Sec? 7 & 18. J. A. I. R. No 8. W.
 Land & Metridges 2nd rate Timber, Oak, Poplar, N. Oak, Logwood &c.

West Between Sec? 6 & 7. J. A. I. R. No 8. W.
 40. 00 Set Quarter Sec. post from which a Sapling 10 in. diam. bears S. 42.
 N. 16 lbs. dist. & a L. 16 in. diam. bears S. 76. E. 30. lbs. dist.
 80. 00 To post Corner to Sec? 6 & 7. Land & Metridges 2nd rate
 Timber Saplings, Poplar, Oak, & Logwood. Nov. 26.th
 Supper & Stone, H. Surveyor

North Between Sec? 34 & 35, from q. Sec. Cor.
 13. 83 to South Side of Pond Set post from which
 a B. Oak 20 in. diam. bears N 84 W 24 lbs. dist.
 a Gum 10 Corner tree
 Note: The bearing tree at q. Sec. Corner is
 an Elm 12 in. diam. bears West 55 lbs. dist. &
 a Mulberry 8 " " " N 59 E 8 " "
 65. 50 Over the Pond, Set post on N. Side from which
 a S. Maple 20 in. diam. bears S 86 E 14 lbs. dist. &
 a B. Ash 15 " " " N 70 W 21 " "
 80. 00 to Corner of Sec? 26, 27, 34 & 35.

Meanders of a pond in Sec? 34 & 35, from post on
 the South Side, on line between Sec? 34 & 35, thence

N 42 W 22.50 in Sec. 34
 S 28 E 1.50
 S 51 W 2.00
 S 67 W 8.50
 S 69 W 2.50
 N 8 W 2.50
 N 7 E 9.00
 N 12 E 14.50
 N 19 E 6.00
 N 40 E 10.00

T. L. R. 8 W. 2nd Mer. Indiana

N 69 E 7.50
S 76 E 4.00
S 35 E 5.00
South 4.42 to the post on N. Side between Secs 34 & 35

N 44 E 3.00 to a Slue
S 4 W 5.00
S 39 E 2.00
S 32 W 4.00
N 73 W 1.10 to the place of Beginning

I hereby Certify that in pursuance of a Contract
 with William Johnston, Surveyor General of the U.
 States, for the States of Ohio, Indiana & Michigan,
 dated Sept. 25th 1843, and in strict conformity to
 the laws of the United States, and the Instructions
 of the Surveyor General, I have made the foregoing
 Survey in T. L. R. 8 W. and that the foregoing are
 the true and original field Notes of the same.
 October 28th 1843

Nathaniel S. Squibb
 Deputy Surveyor

Robert Holmes }
Volney Smith } Chairman
W. C. Griswold, Marker

T.S. R8W, 2^d Mer. Indiana

ch. lks

North Boundary or Baseline.

West On S. boundary of Sec. 36, T1N, R8W.

11.20 a W. Oak 20 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 26 in. diam. bran N11 $\frac{1}{2}$ E 26 lks. dist. of

a Hickory 14 " " " N66W 20 " "

48.60 a Brook 6 lks. wide Course S.W.

56.70 a W. Oak 16 in. diam.

72.90 a Hickory 12 " "

80.00 Set post Cor. to Sec. 35 & 36, T1N, R8W, from which

a Gum 12 in. diam. bran West 14 lks. dist. of

a Hickory 10 " " " D85E 24 " "

This mile low ridge, timber mostly Oak, some
hickory, much Logwood undgth. excellent farming
land water scarce.

West On S. boundary of Sec. 35, T1N, R8W.

11.20 a Hickory 12 in. diam.

27.10 a Gum 12 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 50 in. diam. bran N63 $\frac{1}{2}$ E 42 lks. dist. of

a Do. 12 " " " N85W 36 " "

63.40 a Hickory 12 " "

80.00 Set post Cor. to Sec. 34 & 35, T1N, R8W, from which

a Hickory 12 in. diam. bran N49W 22 lks. dist. of

a Gum 12 " " " N6W 18 " "

This mile marshy land, good soil, timber Oak, Ash,
Hickory, Elm & some poplar & Logwood undgth.

West On S. boundary of Sec. 34, T1N, R8W

24.10 a Brook 30 lks. wide Course N.W.

28.54 a Hickory 18 " " "

40.00 Set of Sec. post, from which

a W. Oak 20 in. diam. bran N80W 33 lks. dist. of

a Do. 28 " " " N58E 23 " "

50.06 a W. Oak 20 " "

T. 8 N. 2nd Mer. IndianaCh. 1st h.

80.00 Set post cor. to Sec. 33 & 34, T. 8 N. 2nd Mer.
 from which
 an Elm 24 in. diam. bears S 80 W 40 lks. dist. to
 a W. Oak 30 " " " N 88 E 28 " "
 This mile vary land, timber Oak, Poplar, Sassafras,
 Dogwood, Spice Underg^o, good soil

West On S. boundary of Sec. 33, T. 8 N. R 8 W
 3.46 a W. Oak 17 in. diam.
 36.48 a Locust 20 " "
 40.00 Set q^r. Sec. post, from which
 a Maple 12 in. diam. bears N 27 W 6 lks. dist. to
 a Do. 14 " " " S 37 E 28 " "
 52.38 a P. Oak 30 " "
 70.10 a drain course S.
 80.00 Set post cor. to Sec. 32 & 33, T. 8 N. R 8 W. from which
 a W. Oak 16 in. diam. bears S 55 W 12 lks. dist. to
 a Poplar 24 " " " N 44 W 8 " "
 This mile level Oak, timbered land, some Maple,
 Poplar & Sassafras, Dogwood & some Spice underg^o

West On S. boundary of Sec. 32, T. 8 N. R 8 W
 6.14 a Hickory 18 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Span. Oak 24 in. diam. bears N 81 E 30 lks. dist. to
 a Exp. Oak 18 " " " S 37 W 21 " "
 48.10 an Elm 18 in. diam.
 73.38 a Gum 30 " "
 80.00 Set post cor. to Sec. 31 & 32, T. 8 N. R 8 W. from which
 a Maple 20 in. diam. bears S 3 E 10 lks. dist. to
 a Do. 10 " " " N 5 E 12 " "
 This mile flat land, some times covered with water
 timber Elm, Maple, Ash, Gum, Swamp Oak, Spice
 brush in places

West On S. boundary of Sec. 31, T. 8 N. R 8 W.

ch^r. lbr.
 15.44 a W. Oak 14 in. diam.
 20.10 a Brook 30 lbr. wide Course N 30 W
 38.20 a Ho. 15 " " " N 20 E
 40.00 Set of Sec. post, from which
 an Elm 18 in. diam. bears S 53 W 21 lbr. dist. of
 a Poplar 20 " " " N 32 E 37 " "
 79.46 a W. Oak 26 " "
 80.00 Set post Cor. to Township 1 N. of 1 South of
 Range 8 of 9 West, from which
 a W. Oak 12 in. diam. bears S 76 W 30 lbr. dist. of
 a Ho. 12 " " " N 54 E 30 " "
 This mile over uneven Oak timber land from bottom
 Soil middling Oct. 1874
 Ebenezer Buckingham, N. S.

West Boundary

South On E. boundary of Sec. 1, T. 1 S. R. 9 W
 13.70 a W. Oak 12 in. diam.
 40.00 Set of Sec. post, from which
 a B. Oak 24 in. diam. bears N 50 E 22 lbr. dist. of
 a Poplar 36 " " " S 50 W 22 " "
 55.60 a B. Oak 36 " "
 80.00 Set post Cor. to Sec. 1 & 12, from which
 a Hickory 10 in. diam. bears S 12 W 12 lbr. dist. of
 a Beech 12 " " " S 69 E 22 " "
 Some Creek bottom, under Spruce, timber Hickory
 Poplar, Dogwood &c.

South On E. boundary of Sec. 12, T. 1 S. R. 9 W

28.00 a W. Oak 14 in. diam.
 40.00 Set of Sec. post, from which
 a W. Oak 16 in. diam. bears N 51 E 62 lbr. dist. of
 a Hickory 18 " " " S 79 W 14 " "
 46.18 a Red Oak 30 " "
 74.00 a run 40 lbr. wide Course E.
 80.00 a Dogwood 7 in. diam. Cor. to Sec. 12 & 13

T.S. R8W. 2nd Mer. Indiana

ch. l. h. Flat ridges, 2nd rate land, W. B. & R. Oak, Poplar
Dogwood, Spice & hazel brush

South On E. boundary of Sec. 13 of 15. R9W

14.25 a W. Oak 18 in. diam.

40.00 Set of Sec. post, from which

a Poplar 12 in. diam. bear N43E 26 l. dist. of

a W. Oak 18 " " " S43W 46 " "

49.83 a W. Oak 18 " "

80.00 Set post Cor. to Sec. 13 of 24, from which

a Poplar 14 in. diam. bear N80E 18 l. dist. of

a Gum 14 " " " S80W 7 " "

W. B. & R. Oak & Dogwood timber

South On E. boundary of Sec. 24, T1S. R9W

3.35 a W. Oak 36 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 18 in. diam. bear S4E 21 l. dist. of

a W. Oak 18 " " " N30E 20 " "

69.26 a W. Oak 20 " "

80.00 Set post Cor. to Sec. 24 of 25, from which

a W. Oak 16 in. diam. bear N19W 38 l. dist. of

a Sugar 8 " " " S47W 48 " "

Flat ridges, timber Oak, Dogwood &c.

South On E. boundary of Sec. 25, T1S. R9W

22.00 a run 40 l. wide corner S45E.

23.35 a W. Oak 20 in. diam.

40.00 Set of Sec. post, from which

a Sugar 12 in. diam. bear N42E 36 l. dist.

a W. Oak 7 " " " S52W 26 " "

45.00 a Poplar 14 " "

66.70 an Elm 8 " "

80.00 Set post Cor. to Sec. 25 of 36, from which

a Hickory 26 in. diam. bear S14W 22 l. dist. of

a S. Gum 18 " " " N16W 17 " "

231

T.S. R & W. 2^d Mer. Indiana
ch. 1st
Flatridge, some wet spots, timber Sweet Gum
Hickory, Elm, Oak &c.

South On E. Boundary of Sec. 36, T. 1 S. R. 9 W
5.75 an Elm 14 in. diam.
35.50 Patoka Creek 200 lks. wide Course W.
40.00 Set of. Sec. post, from which
an Elm 8 in. diam. bears S 29° W 10 lks. dist. of
a No. 9 " " " N 29° E 10 " "
80.00 Set post cor. to Township 1 S 2 South, of Range
8 & 9 West, from which
a Gum 30 in. diam. bears S 8° W 39 lks. dist. of
a No 20 " " " N 42° E 25 " "
Low wet Creek bottom, timber Elm, Oak &c.
November 22^d. 1804
Edward W. Tappan
Augustus Stone,
Deputy Surveyor

I Certify that the foregoing transcript of field notes
of Township N. 1 South, of Range N. 8 West of the
2^d Principal Mer. Indiana has been compared,
with the original notes in this Office and found
to be correct.

Surveyor General's Office
Detroit April 10. 1846

Sur. Genl.